

ILLEGIB

Approved For Release 2001/03/03 : CIA-RDP78T05439A000400130026-9

Approved For Release 2001/03/03 : CIA-RDP78T05439A000400130026-9

~~TOP SECRET~~

14168

NPIC/R-809/64

August 1964

TCS-7827/64

Copy 98

3 Pages

PHOTOGRAPHIC INTERPRETATION REPORT

# ICBM COMPLEX, YURYA, USSR LAUNCH AREA G

Declassification Review by NMA/DOD



CIA




DIA

Handle Via **TALENT - KEYHOLE** Control Only

## WARNING

This document contains classified information affecting the national security of the United States within the meaning of the espionage laws U. S. Code Title 18, Sections 793 and 794. The law prohibits its transmission or the revelation of its contents in any manner to an unauthorized person, as well as its use in any manner prejudicial to the safety or interest of the United States or for the benefit of any foreign government to the detriment of the United States. It is to be seen only by personnel especially indoctrinated and authorized to receive TALENT-KEYHOLE information. Its security must be maintained in accordance with KEYHOLE and TALENT regulations.

NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER



~~TOP SECRET~~

GROUP 1  
Excluded from automatic  
downgrading and declassification

TOP SECRET RUFF

Handle Via  
TALENT-KEYHOLE  
Control System Only

TCS-7827/64  
NPIC/R-809/64

ICBM COMPLEX, YURYA, USSR  
LAUNCH AREA G

25X1D

This report, based on KEYHOLE photography of [REDACTED] updates information on Launch Area G (6), Yurya ICBM Complex, contained in NPIC/R-204/64, dated March 1964. 1/

Launch Area G (59-04N 49-51E) consists of a completed Type IIIA launch site, a site support facility, a receiving, inspection, and maintenance (RIM) facility, and a probable RIM support facility (Figure 1.) It is situated in a wooded area on the crest of a low ridge between two streams and is 17 nautical miles east of the complex support facility. There was evidence of activity in the area on the earliest photography of [REDACTED]. The area cannot be negated. As of [REDACTED] the launch site construction was in progress and it was considered complete in [REDACTED]

25X1D  
25X1D  
25X1D  
25X1D

The launch site, approximately 1,800 by 1,400 feet, is enclosed by a security fence. It conforms to a typical complete Type IIIA launch site and consists of a loop road, three silos with covers, an earth-mounded control bunker, two possible semiburied tanks, and a possible spray pond. A short access road joins the west side of each silo to the loop road. A vehicle hardstand is on the north side of the loop road, northwest of the silos. One possible small building is apparent within the launch site and a probable security building is adjacent to the access road, just outside the security fence.

\*TDI site designator is indicated in parentheses.

The site support facility is approximately 3,200 feet northwest of the launch site and consists of 18 barracks-type buildings, 2 T-shaped buildings, one L-shaped building, 12 smaller structures, and a motor pool. There are 8 probable tents near the eastern edge of the site support facility.

The RIM facility is about 3,300 feet west-northwest of the launch site. It is situated opposite the site support facility in a wooded area on the west side of the complex main road. The RIM facility, approximately 1,100 by 800 feet, is enclosed by a single security fence and divided into two sections by a fence.

25X9

A small probable security building is at the side of the road, just inside the fence separating the two sections. The eastern section contains a long, narrow, probable missile-ready building which is apparently still under construction. A well-engineered road with wide-radius turns serves both principal buildings in the RIM facility. A probable security building is just outside the entrance to the facility.

A probable RIM support facility, apparently unsecured, is immediately adjacent to the southern side of the RIM facility and contains 8 barracks-type buildings, 11 smaller structures, and a vehicle parking area. This facility is served by an improved road from the complex main road.

- 1 -

TOP SECRET RUFF

Handle Via  
TALENT-KEYHOLE  
Control System Only


TOP SECRET RUFF

Handle Via  
TALENT-KEYHOLE  
Control System Only

TCS-7827/64  
NPIC/R-809/64



25X1D



LAUNCH SITE		25X1D	RIM FACILITY	
Silo separation			1 Building	160 X 25
Site orientation			1 Building	60 X 50
Silo covers			1 Building	60 X 45
SITE SUPPORT FACILITY			PROBABLE RIM SUPPORT FACILITY	
1 Building	165 X 55		1 Building	195 X 45
1 Building	160 X 45		1 Building	170 X 50
2 Buildings	145 X 30		1 Building	155 X 40
18 Barracks-type buildings	140 X 45		1 Building	140 X 60
2 T-shaped buildings	135 X 40 '105 X 40		8 Barracks-type buildings	140 X 45
2 Buildings	120 X 35		2 Buildings	105 X 40
1 L-shaped building	120 X 30 ' 60 X 30			

FIGURE 1. YURYA LAUNCH AREA G.

NPIC J-2403 (P/64)

TOP SECRET RUFF

Handle Via  
TALENT-KEYHOLE  
Control System Only

TOP SECRET RUFF


Handle Via  
TALENT-KEYHOLE  
Control System Only

TCS-7827/64  
NPIC/R-809/64

REFERENCES

PHOTOGRAPHY

25X1D



MAPS OR CHARTS

US Air Target Chart, Series 200, Sheet 0155-SHL, 4th ed, Sep 63, scale 1:200,000 (SECRET)

DOCUMENT

1. NPIC. R-204/64, *ICBM Complex, Yurga, USSR*, Mar 64 (TOP SECRET RUFF)

REQUIREMENT

UGMC - 64 (partial answer)

NPIC PROJECT

N-715/64

TOP SECRET RUFF

Handle Via  
TALENT-KEYHOLE  
Control System Only